



**ÖSTERREICHISCHES ROTES KREUZ**  
**EINKAUF & SERVICE**  
GMBH

Einkauf & Service GmbH  
Oberlaaer Strasse 300-306  
A-1230 Wien  
Telefon: +43 (1) 58 900 - 811  
Telefax: +43 (1) 58 900 - 818

**CALL TO TENDER BIDS FOR THE**  
**SUPPLY OF A WATER AND SANITATION EQUIPMENT „M40“**

- Principal: Austrian Red Cross  
Procurement & Service Ltd.  
Oberlaaer Strasse 300-306  
1230 Vienna, Austria  
FN: 78791w
- Purpose: Supply of a water and sanitation equipment "M40"
- Submission of offer: Offer and scanned documents (tender document, declaration of the seller) signed by an authorised person have to be sent per E-mail to [florian.rupprecht@roteskreuz.at](mailto:florian.rupprecht@roteskreuz.at) until the latest submission date (29th January 2019).  
Please also send the original documents (tender document, declaration of the seller, offer) signed by an authorised person, in a sealed envelope labelled "WatSan M40" to the address under "place of submission" until the 1st February 2019.  
The timely submission of the bid shall be the sole responsibility of the bidder.
- Place of submission: Austrian Red Cross  
Procurement & Service Ltd.  
Oberlaaer Strasse 300-306  
1230 Vienna, Austria
- Latest submission date: Tuesday, 29th January 2019
- Delivery address: Austrian Red Cross  
Procurement & Service Ltd.  
Oberlaaer Strasse 300-306  
1230 Vienna, Austria

Queries

are to be sent to:

Austrian Red Cross  
Procurement & Service Ltd.  
Oberlaaer Strasse 300-306  
1230 Vienna, Austria  
Florian Rupprecht  
[florian.rupprecht@roteskreuz.at](mailto:florian.rupprecht@roteskreuz.at)

Name (corporate name, business designation) and registered office of Bidder:

-----

(electronic) address of the office authorised to receive post:

-----

## **O. PURPOSE OF CONTRACT**

ARC Procurement & Service Inc. hereby publishes the call to tender bids for supply of a water and sanitation equipment "M40" pursuant to the ARC Procurement Guidelines and the requirements set out in the specifications.

## **A. TERMS AND CONDITIONS OF CALL TO TENDER**

### **1 Maintenance of secrecy and data protection**

All information and details about the Principal or any co-bidder received by the Bidder/Contractor from the Principal, its IT systems or other documents in connection with the preparation of the bid and/or the business relation are to be kept secret vis-à-vis third parties, even after the cessation of the bidding, unless the Principal releases the Bidder/Contractor from this obligation in writing or the information has already become known to the general public. If this duty to maintain secrecy is breached, the Bidder/Contractor shall also be liable in the case of mere slight negligence for any resulting damage, including any lost profit.

The Contractor shall be obliged to only work with those employees and vicarious agents who have been expressly obliged in writing to maintain secrecy pursuant to the Data Protection Act.

The Austrian Data Protection Act shall be applicable as amended. The parties agree to comply with the Regulation (EU) 2016/679 of the European Parliament and of the Council of 27 April 2016 on the protection of natural persons with regard to the processing of personal data and on the free movement of such data, and repealing Directive 95/46/EC (General Data Protection Regulation).

The parties will support the other party's compliance of the General Data Protection Regulation. Therefore the project partner will provide the necessary information and enforce actions necessary in this regard (e.g. deletion of personal data, implementation of technical and organizational measures, etc.).

## **2 Compensation for work associated with bid preparation**

The completion of the specifications and all necessary preliminary work and calculations, the preparation of any alternative bids and the completion of other inserts and documentation listed in the bid documents shall not be compensated.

## **3 Admission criteria**

The Bidder has to sign and return the "Declaration of the Seller" which is attached to this document.

Furthermore Participation in tendering is open to all legal persons which are established

- in a Member State of the European Union or
- in a DAC country or
- in Iceland, Norway, Lichtenstein, Australia, Canada, USA, Japan, New Zealand, Switzerland

and to international organisations (e.g. Red Cross, United Nations, World Bank).

All works, supplies and services must originate in one or more of these countries.

These terms refer to all nationals of the said states and to all legal entities, companies or partnerships constituted under, and governed by, the civil, commercial or public law of such states and having their statutory office, central administration or principal place of business there. A legal entity, company or partnership having only its statutory office there must be engaged in an activity which has an effective and continuous link with the economy of the state concerned.

When submitting the tender, the Bidder must state expressly that all the goods meet the requirements concerning origin and must state the countries of origin. He may be asked to provide additional information.

## **4 Admissibility of subcontractor performances**

The Contractor must in principle execute the performance within its enterprise. The entire contract may not be transferred to a subcontractor.

## **5 Total/partial award**

The specifications are divided into 27 main components. Potential bidders should issue bids for as many main components as they like to ARC Procurement & Service Ltd. The costs of each individual main component and each single item must be evident in the bid. The Bidder may find detailed terms and conditions regarding pricing under Item A/8 – Prices.

## **6 Contradictions or errors in the bid documents**

If the Bidder notices contradictions in the bid documents or if some items appear dubious to the Bidder, the Bidder must clarify the issue by making queries.

If an interested party or Bidder discovers errors in the bid documents or the Bidder has concerns about the type of execution, the Principal requests that these be communicated to the Principal before half the bidding period has elapsed so that the bid documents can be rectified and, if necessary, the bidding period extended. The Bidder hereby agrees to exercise its duty to provide clarification and warnings to the Principal.

Clarifications and additional information shall be published exclusively at <http://www.rotekreuz.at/meta/organisieren/rotekreuz-shop/ausschreibungen>.

The Bidder is obliged to check the mentioned website for additional information and updates.

## **7 Creation of bid, address for submission, opening of bid**

The terms and conditions for the creation of the bid, the bidding period, the submission and opening of the bid are evident on page 1 of the bid documents.

The bid must be prepared in German or English. Likewise, exclusively German or English shall apply for the performance of the contract and settlement. Technical inserts, brochure material and documentation must likewise be provided in German or English.

All components of the bid are to be labelled by the Bidder with its name and marked as pertaining to the bid. The documents included with the bid must be listed.

## **8 Prices**

The module components provided by the Contractor must be factory new. This means that they cannot have been previously used in any way before delivery. In addition to a factory new product, a product in mint condition can be offered as an alternative.

The prices are to be specified in EURO/USD, not including value added tax.

All prices are to be fixed prices, which may not be increased for any reason whatsoever.

Prices are to be free of delivery to the specified delivery address (DDP pursuant to INCOTERMS 2010), and contain in particular all incurred freight and transport costs, including loading, reloading and unloading, customs duties with all related taxes, charges (except for value added tax), etc., costs of insurance, stamp taxes, any inspection, approval and commission fees, all statutory social security expenses, all costs arising for the use of non-local blue and white collar workers, such as a separation allowance, travel and accommodation allowances, etc.

The value added tax shall be offset separately to the degree permitted by law.

## **9 Errors in calculation**

Bids containing calculatory errors shall not be considered any further and shall be eliminated, if they contain calculatory errors that are so substantial that the total price would change by more than 2% directly or indirectly (bid price not including value added tax) as a result of the correction.

## **10 Award period**

The award period shall commence with the expiry of the bidding period and shall be limited to five months. During the award period, bidders shall be bound to the full content of their bids.

## **11 Signature and completeness of bid**

All bid documents shall only be considered as duly received if signed by an authorised person.  
All transmitted documents must be filled out in full. No references to other items may be made.

## **12 Modification of bids**

Until the bid is opened, the Contractor may modify or withdraw its bid, whereby all changes must be broken down in accordance with the bid and comprehensible, and the final bid price must be easily and clearly identifiable.

Any correction of information must be clear and is to be confirmed by signature, specifying the date.

## **13 Award criteria**

The contract shall be awarded in accordance with the best bidder principle (best price-quality relation) and issued based on the financially most favourable bid.

# **B. TERMS AND CONDITIONS OF CONTRACT**

## **1 Origination of contract**

The contractual relation shall only be established through the written contract (order) on the date on which the bidder receives the notification of the acceptance of its bid (award).

The assumption of the contract must be confirmed within 8 days after receipt in writing by way of a signed order confirmation (confirmation letter). In the event the order confirmation is not received by the Principal in due time, the Principal reserves the right to revoke the contract.

Any additions or modifications must be made in writing in order to be legally binding.

## **2 Bases documents for contract:**

1. the written contract (order)
2. this call to tender and the bid (including all annexes)
3. various schedules, work plans and specifications

## **3 Priority of these Terms and Conditions**

Any variant terms and conditions or terms and conditions beyond these Terms and Conditions that are contained in order confirmations, invoices, delivery documents and other business papers of the Contractor shall only apply if and insofar as they are expressly recognised in writing by the Principal. The full acceptance of deliveries and/or performances, including the acceptance confirmation on the documents foreseen for this purpose, shall in no case be considered an acceptance of such terms and conditions of contract of the Contractor by the Principal. These provisions shall also apply in the event the Bidder stipulates the contrary in declarations and the Principal fails to expressly oppose such stipulation.

#### **4 Changes in performances**

The Principal hereby expressly reserves the right to extend the transferred performances as subsequently necessary to the extent permitted by contracting law. If the scope of the transferred performances is increased by additional contracts, the unit prices are to be maintained; new prices are only to be agreed upon if no corresponding prices exist in the specifications to this call to tender. Such performances shall be considered as a rider to the main contract and shall be subject to the same terms and conditions. Prices for subsequent performances must stand in a fair and objectively comprehensible proportion to the offered prices. The execution of such performances may not be delayed by any lack of agreement on prices.

#### **5 Inspection**

The Principal hereby reserves the right to inspect the performances rendered at any time, after reasonable prior notice, at the premises of the Contractor. The Contractor hereby agrees to provide all information and documents necessary to verify the progress of the performances in conformance with the contract.

The Contractor shall moreover be obliged to permit the back donors of the project (Austrian Red Cross, Austrian Development Agency, Austrian Court of Auditors, the European Anti-Fraud Office (OLAF) and the European Court of Auditors) or any organisation mandated by them to inspect the Contractor's financial affairs and bookkeeping in connection with this contract.

#### **6 Place of performance, execution of performance**

The delivery address specified on the cover sheet shall be the place of performance.

The Contractor must take back (pick up and properly dispose of) any packing material supplied, transport aids, etc. after performance at its own cost and risk, except if the Contractor is a member of a collection and recycling system (proof must be furnished of this membership).

If the Contractor fails to meet this obligation, the Principal shall be entitled, even without establishing a subsequent grace period, to have a third party undertake the disposal at the Contractor's cost and risk.

Any storage, operating, and/or processing provisions are to be sent without need of request along with the bid or, at the latest, with the delivery; otherwise, the Contractor shall be liable for all damage arising due to ignorance of such provisions.

The Bidder hereby confirms that it has informed itself comprehensively and sufficiently about the local circumstances relevant to the rendered performance and waives any subsequent claims that might accrue in this regard.

The parties hereby agree that, within 8 days after the acceptance of the contract, the Contractor must prepare a detailed schedule together with the Principal for the performances to be rendered. Such schedule shall form an integral component of the contract. The Contractor shall be obliged to execute all performances assigned to it pursuant to such schedule.

#### **7 Default and rescission of contract**

In the event of default due to reasons for which the Principal is not responsible, the Principal shall be entitled at its choice either to rescind the contract, even without establishing a subsequent grace period, and to demand damage compensation due to non-performance or to adhere to the contract and to claim compensation for the damage from the delay.

The Principal may rescind the contract for good cause in the Contractor's sphere of control at any time irrespective of the provisions concerning default. In such event, the Contractor shall not be entitled to any compensation. If the Contractor is at fault, the Contractor must moreover render the Principal's full satisfaction (§ 1323 of the Austrian General Civil Code) and indemnify the Principal and hold the Principal harmless if third parties assert claims against the Principal for this reason.

"Good cause in the Contractor's sphere of control" shall exist in particular if:

- the Contractor or merely one of several joint contractors dies;
- the Contractor for other reasons loses the capacity to dispose over its assets by itself or loses its commercial license, sells or relinquishes its business or receives a judgment against it by a criminal court due to actions or omissions related to the bid or the contractual performance.

The Principal shall be entitled to this same right if it is subsequently revealed that these circumstances previously existed on the date of the award.

## **8 Invoicing**

Invoices are to be prepared in duplicate including the following minimum information and sent to "Austrian Red Cross, Procurement & Service Inc., Oberlaaer Strasse 300-306, 1230 Vienna, Austria":

- seller (name, address, tax number)
- buyer (name, address, tax number)
- date
- designation (invoice, order confirmation, delivery note)
- designation, number and price of goods/performance
- prices in EUR/USD
- invoice number of supplier
- VAT Identification No – VATIN of the buyer (ATU16370905)
- VAT Identification No – VATIN of the seller
- VAT rate if applicable
- Amount of VAT if applicable

If the Principal is sent invoices not conforming to these provisions and delays arise in the settlement as a result, such delays are not to be deducted from any payment deadlines. Invoices not specifying the Principal's full order number shall not be processed and shall be considered as not received. Performances that are not individually listed in the bid and that have been rendered without the express written approval of the Principal may not be subsequently settled.

## **9 Payments**

Payment shall be made by bank transfer to a bank account of the Contractor to be specified in writing (in the case of working parties, the bank account of the lead member) within 30 days after receipt of the invoice (mail receipt by Austrian Red Cross Procurement & Service Inc.) without any deductions.

In the event of defect complaints, the Principal shall be entitled to retain the due invoice amount until the defect is remedied free of objections.

Payment shall not constitute any recognition of the propriety of the delivery/performance and thus no waiver of the claims to which the Principal is entitled, irrespective of the legal ground.

## **10 Warranty, guarantee, remedy of faults**

Should the entire module or module components be so in need of repair that ordinary operations can no longer be maintained, the entire module or parts thereof are to be exchanged upon request within three (3) working days at the Contractor's cost for a fully operable module or parts.

## **11 Damage compensation**

The Principal shall be unrestrictedly entitled in all cases to damage compensation and recourse claims.

The Contractor shall indemnify the Principal and hold the Principal harmless against damage of any type, particularly for indirect and consequential damage, unless it is proven beyond doubt that a third party has

caused the damage. The Contractor shall in all cases be liable for damage caused by itself, its vicarious agents or by persons commissioned by it to the property of the Principal or that of third parties.

## **12 Assignment**

A prohibition of assignment shall exist in relation to all claims to which the Contractor is entitled against the Principal in connection with the origination and execution of the subject-contract.

## **13 General terms and conditions of purchasing**

The General Terms and Conditions of Purchasing of ARC Procurement & Service Inc. shall moreover apply as attached.

---

Place and Date

Authorised Signature



**Specifications for  
Water and Sanitation Equipment „M40“**

<b><i>Subkits</i></b>	<b><i>Quantity</i></b>
<b>TOOL A - WATER TREATMENT AND DISTRIBUTION</b>	
2" pump diesel powered engine with spares	6
2" lightweight pump diesel powered engine with spares	4
3" pump driven by Lombardini diesel engine with spares	6
4" pump driven by Lombardini diesel engine with spares	2
Pumping pipework kit	5
Pumping oil and tool kit	3
O2 Tank – T75 tank kit	4
O2 Tank – T100 tank kit	2
O2 Tank – T100 tank kit (as spare parts)	1
O2 Tank – T12 tank kit	10
O2 Tank – T12 tank kit (as spare parts)	1
Link pipework kit	2
Tank and pipework tool kit	3
5m <sup>3</sup> transport and storage bladder kit with cleaning zip or replaceable inlay	10
Tap stand kit	20
Distribution pipework kit	2
Adaption, fittings and spares kit	2
Additional pipework kit	1
Water testing equipment	1
Start-up chemicals	2
Dosing kit	2
<b>TOOL B – HYGIENE PROMOTION AND SANITATION</b>	
Additional equipment	1
Hygiene promotion	1
Sanitation kit 1	1
Sanitation kit 2	1
Sanitation kit 3	1
Sanitation kit 4	1

### **Packaging, labelling and delivery:**

All material has to be packed in wooden boxes on Euro-pallets (120 x 80 cm), if the dimensions of the product(s) allow(s) it. The height is limited to 150 cm. The bottom side of the box has to have main- or crossbeams according to requirements like a Euro-pallet and the "under driving height" has to be minimum 11 cm.

Sub-kits also may be packed in rigid boxes (for example <https://www.auer-packaging.com/at/en/Lockable-Euro-container-cases.html> or <https://www.zarges.com/en/products/boxes/k470-universal-box/>) which should be stackable and have standardized sizes to adjust them on Euro-pallets (120 x 80 cm).

The four endwalls of each box have to show the weight and the dimensions of it – clearly readable in dimension and lettering. One of the endwalls must show a detailed packing list.

### **Specifications for hoses (fireman quality):**

Suction hose:

PVC flexible spiralled, 3" (Storz B) 2,5m or 2" (Storz C) 3m  
Heavy duty PVC suction hose, reinforced with PVC covered metal spiral helix; Both ends fitted with 3" (Storz B) Couplings or 2" (Storz C);  
Temperature range: -25°C up to 60°C  
Operational pressure: 6 bar by 20°C  
Resistance to vacuum at 20 °C: 90%  
Length: 2,5m or 3m

Flat hose:

For delivery, 3" (Storz B) or 2" (Storz C), type fire brigade, 5m / 15m  
Heavy duty lay flat delivery hose; Outside: synthetic woven textile reinforcement, resistance to oil and gasoline, abrasion resistant, flam-retardant; Inside: encased in high tensile rubber; Both ends fitted with 3" (Storz B) or 2" (Storz C) couplings;  
Temperature range -25°C up to + 60°C  
Operational pressure: 8bar  
Length: 5m or 15m

### **Abbreviations:**

BSP	British Standard Pipe
F	Female
GS	Galvanized Steel
M	Male
MDPE	Medium Density PolyEthylene
PTFE	PolyTetraFluoeEthylen (Teflon)

**Detailed Parts Lists of Each Sub-Kit**

## Water Pumps

**Packed and labelled IATA conform incl. Safety Data Sheets!**

<i>Red Cross Code</i>	<i>Quantity</i>	<i>Description</i>
	6	2" pump driven by Lombardini diesel engine. <b>Type Swallow 5100</b> Supplied with spares for 1 year operation Pressure relief: Set to 2.5 BAR to tee piece on pressure side Tee piece fitted to inlet side with 1" gate valve fitted for dispensing of chemicals Max. suction lift: 8m Max. pressure head: 28m Max. flow: 700 litre/min. Normal use: 400 litre/min at 12m head
	6	Exhaust pipes
KWATPUMCERU2	4	2" lightweight pump driven by Lombardini diesel engine. <b>Type Kestrel 5000</b> Supplied with spares for 1 year operation Max. suction lift: 8m Max. pressure head: 36m Max. flow: 600 litre/min Normal use: 450 litre/min at 12m head Supplied with 5m x 3" suction/discharge hose and fittings and 15m x 3" flat hose and fittings.
	4	Exhaust pipes
	6	3" pump driven by Lombardini diesel engine. <b>Type Merlin 351</b> Supplied with spares for 1 year operation Max. suction lift: 8m Max. pressure head: 30m Max. flow: 1300 litre/min Normal use: 1000 litre/min at 12m head (60m <sup>3</sup> /h) Supplied with 5m x 3" suction/discharge hose and fittings and 15m x 3" flat hose and fittings.
	6	Exhaust pipes
	2	4" pump driven by Lombardini diesel engine. <b>Type Ospray 452</b> Supplied with spares for 1 year operation Max. suction lift: 8m Max. pressure head: 45m Max. flow: 2500 litre/min Normal use: 2200 litre/min at 12m head (132m <sup>3</sup> /h)
	2	Exhaust pipes

Different engines may be fitted to the basic pumps if required. All pump outlets to be 2" BSP male.

# Pumping Pipework Kit

<i>Red Cross Code</i>	<i>Quantity</i>	<i>Description</i>
WNECGACR4F3F	1	3" BSP (F) to 4" BSP (F) adapter (steel)
WNEASTNR3	3	80mm strainer to 3" BSP (M) with spring type non return (steel)
WNECSTCR3-2	1	3" Storz universal seal x 2" BSP (F)
WNECSTCC3SF	2	3" Storz universal seal x 3" BSP (F)
WNEHPVSP330T	1	3" reinforced suction hose x 30m )
	1	3" Storz universal seal x 3" BSP (F) )
	2	3" hoseclamp (Superex 90) ) Preassembled
	1	3" hose tail x 3" BSP (M) (steel) )
	1	3" hosetail x 3" BSP (F) (steel) )
WNECGABB2F2F	1	2" BSP (F) elbow (steel)
WNECGANN2M2M	1	2" BSP (M) connector (steel)
WNECGANN4M4M	1	4" BSP (M) connector (steel)
WNECGACR3M2M	1	2" BSP (M) to 3" BSP (M) adapter (steel)
WNEHPVSP330T	1	3" reinforced suction hose x 30m )
	1	3" Storz universal seal x 3" BSP (F) )
	1	3" hose tail x 3" BSP (M) (steel) ) Preassembled
	1	3" hosetail x 3" BSP (F) (steel) )
	2	3" hoseclamp (Superex 90) )
WNEVBRGA3FF	1	3" BSP (F) gate valve
WNECGACR4M3F	1	3" BSP (M) to 4" BSP (F)
WNECGACR3M2F	1	3" BSP (M) x 2" BSP (F)
WNECSTCC3SM	2	3" Storz universal seal x 3" BSP (M)
WNECGAEE3M3M	2	3" BSP (F) elbow (steel)
WNECGANN3M3M	1	3" BSP (M) connector (steel)
WNECSTCC3SF	1	3" Storz universal seal x 3" BSP (F)
WNECGANN2M2M	1	2" BSP (M) to 2" BSP (M) adapter (steel)
WNECGANN4M4M	1	4" BSP (M) to 4" BSP (M) adapter (steel)
WNEHPVSP1/215	1	1/2" hose x 15m
	1	1/2" hosetail x 3" BSP (M) (steel)

WNECGATT3FFF	1	3" tee piece (steel)
WNECGANN3M3M	2	3" BSP (M) connectors (steel)
WNEABACL015	2	3/4" hose clip
WNEVBRGA1FF	1	1" brass gate valve

## Pumping Oil and Tool Kit

**Shelf life for kit at time of delivery at least 24 months or longer (please mention in your offer)!**  
**Packed and labelled IATA conform incl. Safety Data Sheets!**

<b>Red Cross Code</b>	<b>Quantity</b>	<b>Description</b>
ETOOKEYS200	2	strap wrenches, 200mm diameter capacity
ETOOKEYS6	1	adjustable pipe wrench, 140mm diameter capacity
ETOOSAWSM150	1	junior hacksaw complete with 10 blades
ETOOWRENV280	1	8" adjustable spanner
ETOOOSDRF65	1	screwdriver 6" blade
ETOOWREN7/16	1 set	combination spanners 7/16-3/4" A.F.
ETOOWREN1/4	1	combination spanner 1/4" B.S.F.
ETOOKEYSH7/32-3/16-3M	1 set	Allen keys 7/32", 3/16" and 3mm (1 set)
ETOOPLIEUN20	1 pair	pliers
ETOOEAS19BL	1 set	metric feeler gauges
ETOOOLUBRC35	1	oil can
WNECSTHO2-3	1	Storz 3" spanner
WTOOSANWIV	1	Swivel fitting spanner
ETOOHAMMS17	1	Mallet
TVECLUBRO26	2	25 litre cans engine oil (to suit pump engine specified) in 5 ltr. tins
TVECJCANM20	1	20 litre steel jerrycan for fuel
TVECMVACBT20	1	funnel and strainer (large) for fuel
TVECMVACBT19	1	funnel (small) for oil

## O2 Tank - T75 Tank Kit Old Red Cross Code: KWATTANKR70

**Tank Steel** the following items have to be assured as per old version T70:

[https://www.butylproducts.co.uk/wp-content/uploads/2016/11/Demountable-Tank-O2\\_web.pdf](https://www.butylproducts.co.uk/wp-content/uploads/2016/11/Demountable-Tank-O2_web.pdf)

<i>Red Cross Code</i>	<i>Quantity</i>	<i>Description</i>
WWAKRTOXIS01-2	21	Corrugated sheets 3 of which cut and drilled for pipe connections. One has a cover plate fitted.
WWAKRTOXCA12	21m	length of inner split capping
WWAKRTOXCA25	21m	length of outer split capping
EHDWCLIP25	60	Capping spring clips
EHDWBOLTGR01	560	) M10 x 20mm round head bolts, nuts and washers )
EHDWNUTSG10	560	
EHDWWASHF10	560	
ETOOPODG01	1	Podger spanner
WNEVBRGA3FF	2	3" BSP (F) brass gate valve
APACSCOT50RB	3	rolls of self adhesive tape
	3	3" BSP special through tank flange assemblies
WWAKRTOXL70	1	1.25mm thick reinforced EPDM liner
	14	pegs
HSHEROPE06P	100	6mm polypropylene rope
WTOOSEALTEFL	1	roll PTFE tape
KWATREPAEPLI	1	Repair kit
WWAKRTOXRO75	1	tailored conical roof cover manufactured from reinforced PVC with access flap
HSHEROPE06P	300m	6mm polypropylene rope
WWAKRTOXROC1	3	column sections 100mm diameter x 1m
WWAKRTOXROCE	2	column end pieces
WWAKRTOXROCC	3	100mm straight connectors
EHDWVHDWHO10	28	retaining eyes
KWATREPAF01	1	roof repair kit

## O2 Tank - T100 Tank Kit Old Red Cross Code: KWATTANKR95

**Tank Steel** the following items have to be assured as per old version T95:

[https://www.butylproducts.co.uk/wp-content/uploads/2016/11/Demountable-Tank-O2\\_web.pdf](https://www.butylproducts.co.uk/wp-content/uploads/2016/11/Demountable-Tank-O2_web.pdf)

<i>Red Cross Code</i>	<i>Quantity</i>	<i>Description</i>
WWAKRTOXIS01-2	28	Corrugated sheets 3 of which cut and drilled for pipe connections One has a cover plate fitted.
WWAKRTOXCA12	21m	length of inner split capping
WWAKRTOXCA25	21m	length of outer split capping
EHDWCLIP25	60	Capping spring clips
EHDWBOLTGR01	780	) M10 x 20mm round head bolts, nuts and washers )
EHDWNUTSG10	780	
EHDWWASHF10	780	
ETOOPODG01	1	Podger spanner
WNEVBRGA3FF	2	3" BSP (F) brass gate valve
APACSCOT50RB	3	rolls of self adhesive tape
	3	3" BSP special through tank flange assemblies
WWAKRTOXL95	1	1.25mm thick reinforced EPDM liner
	14	pegs
HSHEROPE06P	100	6mm polypropylene rope
WTOOSEALTEFL	1	roll PTFE tape
KWATREPAEPLI	1	Repair kit
WWAKRTOXRO75	1	tailored conical roof cover manufactured from reinforced PVC with access flap
HSHEROPE06P	300m	6mm polypropylene rope
WWAKRTOXROC1	3	column sections 100mm diameter x 1m
WWAKRTOXROCE	2	column end pieces
WWAKRTOXROCC	3	100mm straight connectors
EHDWVHDWHO10	28	retaining eyes
KWATREPAF01	1	roof repair kit

## O2 Tank - T12 Tank Kit Old T10 Red Cross Code: KWATTANKR10

**Tank Steel** the following items have to be assured as per old version T10:

[https://www.butylproducts.co.uk/wp-content/uploads/2016/11/Demountable-Tank-O2\\_web.pdf](https://www.butylproducts.co.uk/wp-content/uploads/2016/11/Demountable-Tank-O2_web.pdf)

<b>Red Cross Code</b>	<b>Quantity</b>	<b>Description</b>
WWAKRTOXIS03-4	18	Corrugated sheets (3 of which cut and drilled for pipe connections) / <i>(special for this tank)</i>
WWAKRTOXCA12	8m	length of 12mm Ø split PVC capping
WWAKRTOXCA25	8m	length of 25mm Ø split PVC capping
EHDWCLIP25	25	25mm spring clips
EHDWBOLTGRO1 EHDWNUTSSG10 EHDWWASHF10	1	bag containing 410 no. M10 x 20mm long round head bolts, nuts and washers
ETOOPODG01	1	podger
WNEVBRGA3FF	1	3" Ø BSP (F) brass gate valve
APACSCOT50RB	1	roll of self-adhesive tape
		Flange assembly
WTOOSEALTEFL	1	roll of PTFE tape
WNECBRCA3F3T	1	3" Ø BSP (F) hose connector to fit 90mm hose
WNEABACLO77	1	hose clip (bolt type) for 90mm hose
WNEHVSP30T	4m	length of 90mm (3") flexible hose
WWAKRTOXL10	1	1.25mm thick EPDM reinforced synthetic rubber liner <i>(special for this tank)</i>
KWATREPAEPLI	1	repair kit
WWAKRTOXR0S1	2	straight bars with one hook end )
	2	angled bars with one hook end ) Special roof
	1	short straight bar with tube upstand ) support assembly
	1	metal disc with M10 bolt )
	4	M10 bolts, nuts and washers )
WWAKRTOXRO10	1	3m Ø PVC cover with perimeter eyelets <i>(special for this tank)</i>
HSHEROPEO6P	1	100m coil of 6mm polypropylene rope
EHDVHWHO10 EHDWNUTSG10	12	retaining eyes with nuts
KWATREPAF01	1	cover repair kit



## Link Pipework Kit

<b>Red Cross Code</b>	<b>Quantity</b>	<b>Description</b>
WNECPVTT80FFF	2	3" BSP (F) GS tees (steel)
WNECPVNN80FF	13	3" BSP (M) threaded GS nipples (steel)
WNECPVCP80F	2	3" BSP (F) threaded GS caps (steel)
WNECBRCA3M3T	10	3" BSP (F) 3" hose tail (steel)
WNEABACL80-100	12	hose clips for 3" hose (Superex 90)
WNECCOCP3M90	1	3" BSP (M) to 3" compression joint PVC coupling
WNECPVEE80FF	2	3" BSP (F) GS 90° elbow (steel)
WNEHPVRI8005	1	3" PVC pipe 500mm long, BSP (M) threaded one end
WNEHEPSP3-30	1	30m coil of 3" reinforced suction hose
WNEVBRGA3FF	2	3" BSP (F) brass gate valve
WTOOSEALTEFL	5	rolls of PTFE tape

## Tank and Pipework Tool Kit

<b>Red Cross Code</b>	<b>Quantity</b>	<b>Description</b>
ETOOKEYSFJ110	1	$\frac{3}{8}$ " square drive cranked handle speed brace
ETOO SOCK12P17J	2	17mm x $\frac{3}{8}$ " square drive 12 point spanner socket (long reach)
ETOOKEYSF40.17	2	17mm combination ring/open-end spanner
ETOOKEYSF40.24	2	24mm combination ring/open-end spanner
ETOO SCDRF6.5X20	2	200mm blade flared tip screwdriver
ETOO FILEHRC200	1	8" half round bastard file and handle
ETOO FILEN160	1	16cm knife cut 2 needle file
ETOO CUTTH	1	12" adjustable hacksaw frame
ETOO CUTTHB	3	12" x 24 TPI HSS hacksaw blade
ETOO CUTTL5	1	Retractable trimming knife c/w 5 blades
ETOOKEYS200	2	200mm capacity strap wrench
ETOO MEASLS40	1	12" aluminium spirit level
ETOO MEASLL01	1	line level

ETOOMEASLP18	1pair	line pins with 18m of line
ETOOSCISSTD1	1 pair	105mm scissors
APROGLOVHDL10	3 pairs	gloves, 961-126
ETOOWRENV280	2	8" adjustable spanner
ETOOKEYSP2.5	1	18" Stillson pipe wrench 65mm diameter capacity
ETOOSAWSM150	1	6" junior hacksaw complete with 3 blades
ETOOCUTTSF300	1	22-111c Surform plane
ETOOCUTTSF300B	2	22-520 spare blades for above
ETOOKEYS6	1	36" leader pattern heavy duty adjustable pipe wrench 140mm dia. capacity
WNECSTHO2-3	2	3" Storz spanners
	2	2" Storz spanners
ETOOOLADD4500	1	4.5m 2 part extending ladder
ETOOKEYSH6L	6	6mm long shank Allan wrenches
WTOOSPANSWIV	1	swivel fittings spanner

## 5m<sup>3</sup> Transport and Storage Bladder Tank Kit

### with cleaning zip or replaceable inlay

Old Red Cross Code: KWATTANKP05T

**Tank Bladder** the following items have to be assured as per old version 5m<sup>3</sup> bladder kit (without cleaning zip or replaceable inlay):

<b>Red Cross Code</b>	<b>Quantity</b>	<b>Description</b>
WWAKFLPT05T	1	5m <sup>3</sup> PVC heavy duty bladder tank with 2 off 3" BSP (M) outlets and one capped top outlet 4" with integral relief valve, with cleaning zip OR replaceable inlay
		<b>Supplied with:</b>
WNEVBRGA3FF	2	3" BSP (F) brass gate valve
WNEHPVSP315T	15m	3" flexible hose )
	1	3" hosetail x 3" BSP (M) (steel) ) Preassembled
	1	3" hosetail x 3" BSP (F) (steel) )
	2	3" hoseclip (Superex 90) )

WNECGATT3FFF	1	3" tee piece threaded (steel) )
WNECGANN3M3M	3	3" BSP (M) connector (steel) ) Preassembled
WWAKFLPT05GS	1	Geotextile groundsheet
WWAKFLPT05TH	1	6 point truck harness
WNECSTCC3SM	1	3" Storz to 3" BSP (M)
WNECSTCC3SF	1	3" Storz to 3" BSP (F)
		<b>Optional:</b>
	10	Replaceable inlays

## Tap Stand Kit

<i>Red Cross Code</i>	<i>Quantity</i>	<i>Description</i>
KWATRAMP06A	1	tapstand complete with 6 taps
WNEPPESR32	1	32mm MDPE hose x 12m
WNECCOCR32C1M	4	32mm compression fittings x 1" BSP (M) (plastic)
WNECGATT2FF1F	1	2" BSP tee piece with 1" BSP branch (steel)
WNECCOCR2M63	2	63mm compression fittings x 2" BSP (M) (plastic)
WTOOSEALTEFL	1	PTFE tape roll
WNECGACP2M	1	2" BSP (M) plug (steel)
WNEVBRGA1FF	1	1" BSP brass gate valve
WNECCOCC32CC1	1	32mm compression x 32mm compression pipe joiner (plastic)
WNECCOCC32CCC	1	32mm compression tee piece (plastic)
WNECGACR3M1F	1	1" BSP (F) to 3" BSP (M) adapter
WNECGACR3F1F	1	1" BSP (F) to 3" BSP (F) adapter

## Distribution Pipework Kit

<i>Red Cross Code</i>	<i>Quantity</i>	<i>Description</i>
WNEPPESR63	1	63mm MDPE hose x 160m
WNECGACR3M2M	2	2" BSP (M) to 3" BSP (M) connectors (steel) )
WNECGATT2FFF	2	2" BSP 'T' piece (steel) )

		Preassembled
WNECCOCR2M63	4	63mm compression coupling x 2" BSP (M) (plastic )
WNECCOCP63	4	63mm hose plugs (plastic)
WNEHSBFL325T	4	2 1/2" layflat fireman's hose x 25m fitted hosedtail to 3" BSP (M) steel one end and 3" BSP (F) steel other end.
WNEVBRGA3NOZ	1	3" BSP (M) to hose nozzle with tap
KWATREPASBFL	2	Hose repair kits

## Adaption, Fittings and Spares Kit

<i>Red Cross Code</i>	<i>Quantity</i>	<i>Description</i>
WNEVBRGA3FF	2	3" BSP gate valve
WNECGANN3M3M	4	3" BSP (M) connector (steel)
WNECSTCR3-2	2	3" Storz to 2" Storz universal seal
WNECCATT3FFF	2	3" BSP tee piece (steel)
WNECSTCC3SM	12	3" Storz universal seal to 3" BSP (M)
WNECSTCC3SF	12	3" Storz universal seal to 3" BSP (F)
WNECGATT2FFF	1	2" BSP tee piece (steel)
WNECCOCR2M63	5	63mm compression coupling x 2" BSP (M) (plastic)
WMEAPRES10	1	Pressure gauge 4"/10 bar )
WNECGATT3FF1F	1	3" BSP tee piece with 1" BSP branch (steel) ) Preassembled
WNEVBRGAV1MF	1	1" BSP tee piece vent valve )
WNECGANN3M3M	2	3" BSP (M) connector (steel) )
WMEAFLOW2F	1	2" BSP water meter
WNEABACL077	8	3" hose clips (Superex 90)
WNECGATT3FFF	2	3" BSP tee piece (steel)
WNECC0CR32C1M	3	32mm compression coupling x 1" BSP (M) (plastic)
WNECGACR3F2M	3	3" BSP (F) x 2" BSP (M) connectors (steel)
WNECGACR3M2F	3	2" BSP (F) x 3" BSP (M) connectors (steel)
WNECCOCC63	5	63mm compression x 63mm compression joiner (plastic)
WNEVBRGA1FF	1	1" BSP brass gate valve
WNECGATT3FF1F	1	3" BSP to 1" BSP branch tee piece (steel)

WNEVBRGA3FF	1	3" BSP brass gate valve
WNECCOCR3M63	2	63mm compression x 3" BSP (M) (plastic)
KWATREPASBFL	2	Pipe repair kits for 3" flexi blue pipe
WNECBRCA3F3T	4	3" hosetail x 3" BSP (F) (steel)
WNECBRCA3M3T	4	3" hosetail x 3" BSP (M) (steel)
WNECBRCA3G	10	spare 3" hosetail washers
WTOOSEALHE	5	rolls of plumbers hemp

## Additional pipework kit

<i>Red Cross Code</i>	<i>Quantity</i>	<i>Description</i>
	10	3" reinforced suction/discharge hose in 30m coils one end fitted with 3" hosetail x 3" BSP (F) plus 3" hoseclip (Superex 90). The other end fitted with 3" hosetail x 3" BSP (M) plus 3" hoseclip (Superex 90)

## Water Testing Equipment

**Shelf life for kit at time of delivery at least 24 months or longer (please mention in your offer)!**  
**Packed and labelled IATA conform incl. Safety Data Sheets!**

<i>Quantity</i>	<i>Description</i>	<i>Unit</i>	<i>Example weblink</i>
1	Incubator	1	<a href="http://incubatorwarehouse.com/hova-bator-genesis-1588-egg-incubator.html">http://incubatorwarehouse.com/hova-bator-genesis-1588-egg-incubator.html</a>
1	Cooling incubator	1	<a href="https://www.amazon.de/Lucky-Reptile-Inkubator-Reptilien-Brutapparat/dp/B002NFR0HQ">https://www.amazon.de/Lucky-Reptile-Inkubator-Reptilien-Brutapparat/dp/B002NFR0HQ</a>
2	Digital thermometer and hygrometer	1	<a href="https://www.amazon.de/Trixie-76114-Thermometer-Hygrometer-fernf%C3%BChlend/dp/B003TOH2IM/ref=pd_bxgy_199_img_2?encoding=UTF8&amp;pd_rd_i=B003TOH2IM&amp;pd_rd_r=dbd42ab3-01f9-11e9-b077-351724338b6e&amp;pd_rd_w=d01Si&amp;pd_rd_wg=8HqaB&amp;pf_rd_p=c16bc8ff-3133-444d-b32d-3575d0da89ee&amp;pf_rd_r=SE922CG56K1EM8DYS477&amp;pvc=1&amp;refRID=SE922CG56K1EM8DYS477">https://www.amazon.de/Trixie-76114-Thermometer-Hygrometer-fernf%C3%BChlend/dp/B003TOH2IM/ref=pd_bxgy_199_img_2?encoding=UTF8&amp;pd_rd_i=B003TOH2IM&amp;pd_rd_r=dbd42ab3-01f9-11e9-b077-351724338b6e&amp;pd_rd_w=d01Si&amp;pd_rd_wg=8HqaB&amp;pf_rd_p=c16bc8ff-3133-444d-b32d-3575d0da89ee&amp;pf_rd_r=SE922CG56K1EM8DYS477&amp;pvc=1&amp;refRID=SE922CG56K1EM8DYS477</a>
1	12V plug	1	<a href="http://incubatorwarehouse.com/12-v-car-power-plug-for-genesis-1588-incubator.html">http://incubatorwarehouse.com/12-v-car-power-plug-for-genesis-1588-incubator.html</a>
2	Cooling box (12/230V)	1	

3	Membrane filters	2000	<a href="https://at.vwr.com/store/catalog/product.jsp?catalog_number=514-4193">https://at.vwr.com/store/catalog/product.jsp?catalog_number=514-4193</a>
1	Vacuum pump/aluminium	1	<a href="http://www.analytics-shop.com/de/nl61330010-de.html">http://www.analytics-shop.com/de/nl61330010-de.html</a>
2	Stainless steel filtration set VF2, complete, 100ml	1	<a href="http://www.witeg.de/1749797951/1/AD61/MDA4MjkkNjcyMDAwMg==/Witeg%200082916720002%20Witeg.html">http://www.witeg.de/1749797951/1/AD61/MDA4MjkkNjcyMDAwMg==/Witeg%200082916720002%20Witeg.html</a>
3	Forceps	1	<a href="https://www.carlroth.com/de/de/Laborbedarf/Laborglas.-Gef%C3%A4%C3%9Fe.-Verbrauchsmaterial/Pinzetten/Deckglas-Pinzetten/p/000000000000ba8b00020023_de">https://www.carlroth.com/de/de/Laborbedarf/Laborglas.-Gef%C3%A4%C3%9Fe.-Verbrauchsmaterial/Pinzetten/Deckglas-Pinzetten/p/000000000000ba8b00020023_de</a>
4	Compact dry EC (E.coli und Coliforme)	1400	<a href="http://www.hyserve.com/produktgruppe.php?lang=de&amp;gr=1">http://www.hyserve.com/produktgruppe.php?lang=de&amp;gr=1</a>
4	CBT II Kit	50	<a href="https://www.aquagenx.com/e-coli-test-kits/">https://www.aquagenx.com/e-coli-test-kits/</a>
2	LabQuest Stream	1	<a href="https://heutink-technik.de/labquest-stream-wireless-interface-lq-stream.html">https://heutink-technik.de/labquest-stream-wireless-interface-lq-stream.html</a>
2	Turbidity sensor	1	<a href="https://heutink-technik.de/trubungssensor-trb-bta.html">https://heutink-technik.de/trubungssensor-trb-bta.html</a>
2	Turbidity cuvettes	6	<a href="https://heutink-technik.de/trubungsrohrchen-aus-glas-6-st-trb-bot.html">https://heutink-technik.de/trubungsrohrchen-aus-glas-6-st-trb-bot.html</a>
1	Calibration set turbidity standards	1	<a href="https://at.vwr.com/store/product?keyword=HACH2659410">https://at.vwr.com/store/product?keyword=HACH2659410</a>
2	pH sensor	1	<a href="https://heutink-technik.de/ph-sensor-bta-ph-bta.html">https://heutink-technik.de/ph-sensor-bta-ph-bta.html</a>
2	Temperatur sensor	1	<a href="https://heutink-technik.de/temperaturfuhrer-edelstahl-tmp-bta.html">https://heutink-technik.de/temperaturfuhrer-edelstahl-tmp-bta.html</a>
2	Conductivity sensor	1	<a href="https://heutink-technik.de/leitfahigkeitssensor-con-bta.html">https://heutink-technik.de/leitfahigkeitssensor-con-bta.html</a>
10	Pool tester	1	
10	DPD no. 1 testing tablets for Pool tester	100	
10	Phenol Red Tablets for Pool tester	100	
2	Chlorine test (x560 Cl <sub>2</sub> frei) 0,1-0,2-0,3-0,4-0,6- 0,8-1,0- 1,5-2,0 mg/l Cl <sub>2</sub>	560	<a href="https://at.vwr.com/store/catalog/product.jsp?catalog_number=1.14978.0001">https://at.vwr.com/store/catalog/product.jsp?catalog_number=1.14978.0001</a>
200	Total & free chlorine test strips (0-10 mg/l) AKVO ready	50	<a href="https://at.hach.com/kombi-teststreifen-gesamt-und-freies-chlor-0-10-mg-l-50-tests/product?id=24756545438&amp;callback=pf">https://at.hach.com/kombi-teststreifen-gesamt-und-freies-chlor-0-10-mg-l-50-tests/product?id=24756545438&amp;callback=pf</a>
100	pH indicator strips (x100) AKVO ready	100	<a href="http://www.merckmillipore.com/AT/de/product/pH-Indikatorst%C3%A4bchen--pH-0---14--Universalindikator,MDA_CHEM-109535">http://www.merckmillipore.com/AT/de/product/pH-Indikatorst%C3%A4bchen--pH-0---14--Universalindikator,MDA_CHEM-109535</a>
5	Multi-parameter test strips (total & free Cl, hardness,	50	<a href="https://at.hach.com/multi-parameter-teststreifen-50-st/product?id=24756545444&amp;callback=pf">https://at.hach.com/multi-parameter-teststreifen-50-st/product?id=24756545444&amp;callback=pf</a>

	alkalinity, ph) AKVO ready		
2	Aluminium test (x150) 0,10 - 0,20 - 0,35 - 0,50 - 0,75 - 1 - 2 - 3 - 6 mg/l Al	150	<a href="http://www.merckmillipore.com/AT/de/product/Aluminium-Test,MDA_CHEM-118386">http://www.merckmillipore.com/AT/de/product/Aluminium-Test,MDA_CHEM-118386</a>
4	Aluminum refill pack for test 118386	150	<a href="http://www.merckmillipore.com/AT/de/product/Aluminium-Test-Nachf%C3%BCIIpackung,MDA_CHEM-118452">http://www.merckmillipore.com/AT/de/product/Aluminium-Test-Nachf%C3%BCIIpackung,MDA_CHEM-118452</a>
1	Ammonium test 0,2 - 8 mg/l 1.14750.0002 (x200)	200	<a href="https://at.vwr.com/store/catalog/product.jsp?catalog_number=1.14750.0002">https://at.vwr.com/store/catalog/product.jsp?catalog_number=1.14750.0002</a>
2	Ammonium test strips (0-400 mg/l; 100 stk) AKVO ready	100	<a href="http://www.mn-net.com/Testpapers/QUANTOFIXteststicks/QUANTOFIXAmmonium/tabid/10302/language/de-DE/Default.aspx">http://www.mn-net.com/Testpapers/QUANTOFIXteststicks/QUANTOFIXAmmonium/tabid/10302/language/de-DE/Default.aspx</a>
1	Nitrate test 5-10-20-30-40-50-60-70-90 mg/l NO3 (x90)	90	<a href="https://at.vwr.com/store/catalog/product.jsp?catalog_number=1.08312.0001">https://at.vwr.com/store/catalog/product.jsp?catalog_number=1.08312.0001</a>
4	Nitrate/nitrite test strips (0-50 mg/l NO3, 0-3 mg/l NO2; 25 Stk) AKVO ready	25	<a href="https://at.hach.com/kombi-teststreifen-nitrat-0-50-mg-l-und-nitrit-0-3-mg-l-25-stuck/product?id=24756545441&amp;callback=pf">https://at.hach.com/kombi-teststreifen-nitrat-0-50-mg-l-und-nitrit-0-3-mg-l-25-stuck/product?id=24756545441&amp;callback=pf</a>
1	Puffer- and test solution set, pH- (4,00/7,00/10,00), electrolyte- and cleaning solution (100 ml)	1	<a href="https://at.vwr.com/store/catalog/product.jsp?catalog_number=83609.600">https://at.vwr.com/store/catalog/product.jsp?catalog_number=83609.600</a>
20	Sterile sample bags, whirl-pack (x100 - 300ml) Thiosulfat	100	<a href="https://at.vwr.com/store/catalog/product.jsp?catalog_number=NASCB01403WA&amp;requestid=129254">https://at.vwr.com/store/catalog/product.jsp?catalog_number=NASCB01403WA&amp;requestid=129254</a>
1	Nasco sterile sample bags, whirl-pack (x100 - 300ml)	500	<a href="https://at.vwr.com/store/product?keyword=NASCB01365WA">https://at.vwr.com/store/product?keyword=NASCB01365WA</a>
5	Plastic bottles 250ml sterilisable, no: 215-5683	10	<a href="https://at.vwr.com/store/search/searchResultList.jsp?dyncharset=UTF-8&amp;dynSessConf=-948094595737262878&amp;keyword=215-5685&amp;search.x=foo&amp;%2Fvwr%2Fsearch%2FSearchFormHandler.searchRequest.searchOperator=and&amp;_D%3A%2Fvwr%2Fsearch%2FSearchFormHandler.searchRequest.searchOperator=+%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch.x=0&amp;%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch.y=0&amp;%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch=goButton&amp;_D%3A%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch=+%2Fstore%2Fcms%2Fat.vwr.com%2Fde_AT%2Fheader_201832841756361.jsp.searchForm">https://at.vwr.com/store/search/searchResultList.jsp?dyncharset=UTF-8&amp;dynSessConf=-948094595737262878&amp;keyword=215-5685&amp;search.x=foo&amp;%2Fvwr%2Fsearch%2FSearchFormHandler.searchRequest.searchOperator=and&amp;_D%3A%2Fvwr%2Fsearch%2FSearchFormHandler.searchRequest.searchOperator=+%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch.x=0&amp;%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch.y=0&amp;%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch=goButton&amp;_D%3A%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch=+%2Fstore%2Fcms%2fat.vwr.com%2Fde_AT%2Fheader_201832841756361.jsp.searchForm</a>

1	Plastic bottles 500ml sterilisable, no: 215-5684	10	<a href="https://at.vwr.com/store/search/searchResultList.jsp?dyncharset=UTF-8&amp;dynSessConf=-948094595737262878&amp;keyword=215-5685&amp;search.x=foo&amp;%2Fvwr%2Fsearch%2FSearchFormHandler.searchRequest.searchOperator=and&amp;_D%3A%2Fvwr%2Fsearch%2FSearchFormHandler.searchRequest.searchOperator=+%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch.x=0&amp;%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch.y=0&amp;%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch=goButton&amp;_D%3A%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch=+%2Fstore%2Fcms%2Fat.vwr.com%2Fde_AT%2Fheader_201832841756361.jsp.searchForm">https://at.vwr.com/store/search/searchResultList.jsp?dyncharset=UTF-8&amp;dynSessConf=-948094595737262878&amp;keyword=215-5685&amp;search.x=foo&amp;%2Fvwr%2Fsearch%2FSearchFormHandler.searchRequest.searchOperator=and&amp;_D%3A%2Fvwr%2Fsearch%2FSearchFormHandler.searchRequest.searchOperator=+%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch.x=0&amp;%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch.y=0&amp;%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch=goButton&amp;_D%3A%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch=+%2Fstore%2Fcms%2Fat.vwr.com%2Fde_AT%2Fheader_201832841756361.jsp.searchForm</a>
1	Plastic bottles 1000ml sterilisable, no: 215-5685	12	<a href="https://at.vwr.com/store/search/searchResultList.jsp?dyncharset=UTF-8&amp;dynSessConf=-948094595737262878&amp;keyword=215-5685&amp;search.x=foo&amp;%2Fvwr%2Fsearch%2FSearchFormHandler.searchRequest.searchOperator=and&amp;_D%3A%2Fvwr%2Fsearch%2FSearchFormHandler.searchRequest.searchOperator=+%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch.x=0&amp;%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch.y=0&amp;%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch=goButton&amp;_D%3A%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch=+%2Fstore%2Fcms%2Fat.vwr.com%2Fde_AT%2Fheader_201832841756361.jsp.searchForm">https://at.vwr.com/store/search/searchResultList.jsp?dyncharset=UTF-8&amp;dynSessConf=-948094595737262878&amp;keyword=215-5685&amp;search.x=foo&amp;%2Fvwr%2Fsearch%2FSearchFormHandler.searchRequest.searchOperator=and&amp;_D%3A%2Fvwr%2Fsearch%2FSearchFormHandler.searchRequest.searchOperator=+%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch.x=0&amp;%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch.y=0&amp;%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch=goButton&amp;_D%3A%2Fvwr%2Fsearch%2FSearchFormHandler.keywordSearch=+%2Fstore%2Fcms%2Fat.vwr.com%2Fde_AT%2Fheader_201832841756361.jsp.searchForm</a>
1	Jar 1l	12	<a href="https://eshop.semadeni.com/produkte/dosieren-messen-und-liquid-handling/messbecher/messbecher-erhabene-bedruckte-skala-polypropylen-pp.html">https://eshop.semadeni.com/produkte/dosieren-messen-und-liquid-handling/messbecher/messbecher-erhabene-bedruckte-skala-polypropylen-pp.html</a>
10	Jar 2l	1	<a href="https://eshop.semadeni.com/produkte/dosieren-messen-und-liquid-handling/messbecher/messbecher-erhabene-bedruckte-skala-polypropylen-pp.html">https://eshop.semadeni.com/produkte/dosieren-messen-und-liquid-handling/messbecher/messbecher-erhabene-bedruckte-skala-polypropylen-pp.html</a>
4	Scale 200g (0,1g)	1	<a href="https://at.vwr.com/store/catalog/product.jsp?catalog_number=611-4343">https://at.vwr.com/store/catalog/product.jsp?catalog_number=611-4343</a>
4	Scale 2kg (1g)	1	<a href="http://www.saturn.at/mcs/product/DR.-OETKER-Backwaage-Digital-%281580%29,90452,445221,317541.html?langId=-15">http://www.saturn.at/mcs/product/DR.-OETKER-Backwaage-Digital-%281580%29,90452,445221,317541.html?langId=-15</a>
1	Autoclave	1	<a href="https://www.gopresto.com/products/products.php?stock=01781">https://www.gopresto.com/products/products.php?stock=01781</a>
1	LITEbox basket (Ø×H): 280×260mm, with handle, stainless steel	1	<a href="https://at.vwr.com/store/product/823781/zubehoer">https://at.vwr.com/store/product/823781/zubehoer</a>
1	Cooking plate	1	
2	Bunsen-burner BL 1700	1	<a href="http://www.cfh-gmbh.de/produkte/gasloetgeraete/">http://www.cfh-gmbh.de/produkte/gasloetgeraete/</a>



1	Soldering equipment „PIEZO COMPACT“ PC 140	1	<a href="http://www.cfh-gmbh.de/produkte/gasloetgeraete/">http://www.cfh-gmbh.de/produkte/gasloetgeraete/</a>
10	Lab squeeze bottles	1	<a href="https://at.vwr.com/store/product/6509403/spritzflaschen-eng-oder-weithals-standard-line">https://at.vwr.com/store/product/6509403/spritzflaschen-eng-oder-weithals-standard-line</a>
5	Spray bottles	1	<a href="https://eshop.semadeni.com/industrie-sprayer-hart-polyethylen-pe-hd.html">https://eshop.semadeni.com/industrie-sprayer-hart-polyethylen-pe-hd.html</a>
10	Lab glasses	1	<a href="https://at.vwr.com/store/catalog/product.jsp?catalog_number=111-0955">https://at.vwr.com/store/catalog/product.jsp?catalog_number=111-0955</a>
5	Lab glasses protection	1	<a href="https://at.vwr.com/store/catalog/product.jsp?catalog_number=111-0930">https://at.vwr.com/store/catalog/product.jsp?catalog_number=111-0930</a>
10	Disposable gloves S	100	
10	Disposable gloves M	100	
10	Disposable gloves L	100	
10	Hand disinfectant	500ML	
1	Technical alcohol (70%)	5L	
1	Plastic beaker (100 ml)	10	<a href="https://at.vwr.com/store/product/542906/becher-pp-niedrige-form-kapazitaet-100-ml-hoehe-70-mm-o-d-55-mm">https://at.vwr.com/store/product/542906/becher-pp-niedrige-form-kapazitaet-100-ml-hoehe-70-mm-o-d-55-mm</a>
1	USB-LED Strip	1	<a href="https://www.amazon.de/gp/product/B00YGL0JS2/ref=oh_aui_search_detailpage?ie=UTF8&amp;psc=1">https://www.amazon.de/gp/product/B00YGL0JS2/ref=oh_aui_search_detailpage?ie=UTF8&amp;psc=1</a>
2	Acrylic (milk) glass sheet (30 x 40 cm)	1	
2	Measuring cylinder	1L	<a href="https://eshop.semadeni.com/messzylinder-pp-1000-ml.html">https://eshop.semadeni.com/messzylinder-pp-1000-ml.html</a>
1	KCl 3 M (500g)	500g	<a href="https://www.carlroth.com/de/en/Chemicals/A-Z-Chemicals/K/Potassium-chloride/p/000000010000961400020023_en">https://www.carlroth.com/de/en/Chemicals/A-Z-Chemicals/K/Potassium-chloride/p/000000010000961400020023_en</a>
1	Conductivity standard solution (middle)	1	<a href="https://www.vernier.com/products/accessories/conmst/">https://www.vernier.com/products/accessories/conmst/</a>
1	Conductivity standard solution (low)	1	<a href="https://www.vernier.com/products/accessories/conhst/">https://www.vernier.com/products/accessories/conhst/</a>
1	Gas absorber WAECO CombiCool	1	<a href="https://www.amazon.co.uk/Dometic-CombiCool-ACX-Camping-Fridge/dp/B01HDBXEUG/ref=sr_1_7?ie=UTF8&amp;qid=1508765737&amp;sr=8-7&amp;keywords=waeco+gas+fridge">https://www.amazon.co.uk/Dometic-CombiCool-ACX-Camping-Fridge/dp/B01HDBXEUG/ref=sr_1_7?ie=UTF8&amp;qid=1508765737&amp;sr=8-7&amp;keywords=waeco+gas+fridge</a>
10	Plastic cup 600ml	1	<a href="https://eshop.semadeni.com/produkte/dosieren-messen-und-liquid-handling/messbecher/griffinbecher-polypropylen-pp-144204.html">https://eshop.semadeni.com/produkte/dosieren-messen-und-liquid-handling/messbecher/griffinbecher-polypropylen-pp-144204.html</a>
1	Katadyn base camp 10l	1	<a href="https://www.katadyn.com/en/de/885-8019296-katadyn-base-camp-pro-10l_eu">https://www.katadyn.com/en/de/885-8019296-katadyn-base-camp-pro-10l_eu</a>

5	Duct tape	1	<a href="https://www.amazon.co.uk/3M-Duct-Tape-50/dp/B006MKBVNM/ref=sr_1_3?ie=UTF8&amp;qid=1508768937&amp;sr=8-3&amp;keywords=duct+tapes">https://www.amazon.co.uk/3M-Duct-Tape-50/dp/B006MKBVNM/ref=sr_1_3?ie=UTF8&amp;qid=1508768937&amp;sr=8-3&amp;keywords=duct+tapes</a>
2	Rack (2 each)	1	<a href="https://eshop.semadeni.com/pop-up-rack-15-50-ml-blau.html">https://eshop.semadeni.com/pop-up-rack-15-50-ml-blau.html</a>
5	Folding canister 15L	1	<a href="https://www.amazon.de/gp/product/B0101OMNVI/ref=oh_aui_search_detailpage?ie=UTF8&amp;psc=1">https://www.amazon.de/gp/product/B0101OMNVI/ref=oh_aui_search_detailpage?ie=UTF8&amp;psc=1</a>
2	Aluminum foil	1	<a href="https://www.amazon.co.uk/Kitchen-Catering-Foil-Cutterbox-Aluminium/dp/B00Y3OZA0Y/ref=sr_1_8?ie=UTF8&amp;qid=1508836230&amp;sr=8-8&amp;keywords=aluminium+foil">https://www.amazon.co.uk/Kitchen-Catering-Foil-Cutterbox-Aluminium/dp/B00Y3OZA0Y/ref=sr_1_8?ie=UTF8&amp;qid=1508836230&amp;sr=8-8&amp;keywords=aluminium+foil</a>
2	Big spoon	1	<a href="https://www.carlroth.com/at/de/Laborbedarf/Laborglas%2C-Gef%C3%A4%C3%9Ffe%2C-Verbrauchsmaterial/L%C3%B6ffelspatel/L%C3%B6ffelspatel%2C-Rundstiel-oder-flacher-Griff/L%C3%B6ffelspatel%2C-mit-flachem-Griff/p/0000000e00016e1e00010023_de">https://www.carlroth.com/at/de/Laborbedarf/Laborglas%2C-Gef%C3%A4%C3%9Ffe%2C-Verbrauchsmaterial/L%C3%B6ffelspatel/L%C3%B6ffelspatel%2C-Rundstiel-oder-flacher-Griff/L%C3%B6ffelspatel%2C-mit-flachem-Griff/p/0000000e00016e1e00010023_de</a>
2	Folding crate (HEAVY duty)	1	<a href="https://www.amazon.co.uk/Durable-Plastic-Foldable-Container-Crate/dp/B01J2JLBW0/ref=sr_1_14?ie=UTF8&amp;qid=1508769727&amp;sr=8-14&amp;keywords=folding+crate+heavy+duty">https://www.amazon.co.uk/Durable-Plastic-Foldable-Container-Crate/dp/B01J2JLBW0/ref=sr_1_14?ie=UTF8&amp;qid=1508769727&amp;sr=8-14&amp;keywords=folding+crate+heavy+duty</a>
2	Dish sponge (10 each)	10	
2	Bottle brush	1	
2	Dishwashing brush	1	
1	Cable ties (different sizes, set)	1	<a href="https://www.amazon.co.uk/Cable-KoTop-Black-Nylon-Self-locking/dp/B074KFTGJM/ref=sr_1_1_sspa?ie=UTF8&amp;qid=1508831701&amp;sr=8-1-spons&amp;keywords=cable+ties&amp;psc=1&amp;smid=ADWXU_PGEVWEU1">https://www.amazon.co.uk/Cable-KoTop-Black-Nylon-Self-locking/dp/B074KFTGJM/ref=sr_1_1_sspa?ie=UTF8&amp;qid=1508831701&amp;sr=8-1-spons&amp;keywords=cable+ties&amp;psc=1&amp;smid=ADWXU_PGEVWEU1</a>
2	Gas hose (5 m)	1	<a href="https://www.amazon.co.uk/Silverline-384964-Hose-without-Connectors/dp/B00HFSJVBO/ref=sr_1_2?ie=UTF8&amp;qid=1508831076&amp;sr=8-2&amp;keywords=gas+tubing">https://www.amazon.co.uk/Silverline-384964-Hose-without-Connectors/dp/B00HFSJVBO/ref=sr_1_2?ie=UTF8&amp;qid=1508831076&amp;sr=8-2&amp;keywords=gas+tubing</a>
2	Gas regulator	1	<a href="https://www.amazon.co.uk/Propane-Regulator-Heater-Torch-Calor/dp/B00TONYO7O/ref=sr_1_2?ie=UTF8&amp;qid=1508831335&amp;sr=8-2&amp;keywords=50+mbar">https://www.amazon.co.uk/Propane-Regulator-Heater-Torch-Calor/dp/B00TONYO7O/ref=sr_1_2?ie=UTF8&amp;qid=1508831335&amp;sr=8-2&amp;keywords=50+mbar</a>
2	Double junction valve	1	<a href="https://www.amazon.co.uk/double-junction-regulating-propane-regulation/dp/B005P6W7VO/ref=pd_sim_60_2?encoding=UTF8&amp;psc=1&amp;refRID=X8MT13KN376XVG5XAG7M">https://www.amazon.co.uk/double-junction-regulating-propane-regulation/dp/B005P6W7VO/ref=pd_sim_60_2?encoding=UTF8&amp;psc=1&amp;refRID=X8MT13KN376XVG5XAG7M</a>
20	Hose clamp	1	<a href="https://www.amazon.co.uk/12-Pack-Adjustable-Stainless-Clamps/dp/B073B2SXNM/ref=sr_1_3?s=diy&amp;ie=UTF8&amp;qid=1508831426&amp;sr=1-3&amp;keywords=hose+clamp">https://www.amazon.co.uk/12-Pack-Adjustable-Stainless-Clamps/dp/B073B2SXNM/ref=sr_1_3?s=diy&amp;ie=UTF8&amp;qid=1508831426&amp;sr=1-3&amp;keywords=hose+clamp</a>

2	Garbage bag (sturdy, 120 l)	100	<a href="https://www.amazon.co.uk/Kingfisher-Heavy-Refuse-Sacks-50-Piece/dp/B00FQJ1J3U/ref=sr_1_1?ie=UTF8&amp;qid=1508834828&amp;sr=8-1&amp;keywords=refuse+sacks+heavy+duty+120+l">https://www.amazon.co.uk/Kingfisher-Heavy-Refuse-Sacks-50-Piece/dp/B00FQJ1J3U/ref=sr_1_1?ie=UTF8&amp;qid=1508834828&amp;sr=8-1&amp;keywords=refuse+sacks+heavy+duty+120+l</a>
2	Lab book	1	<a href="https://www.amazon.co.uk/Oxford-Black-Red-Casebound-Hardback/dp/B00069MA7Q/ref=sr_1_2?ie=UTF8&amp;qid=1508835765&amp;sr=8-2&amp;keywords=lab+book">https://www.amazon.co.uk/Oxford-Black-Red-Casebound-Hardback/dp/B00069MA7Q/ref=sr_1_2?ie=UTF8&amp;qid=1508835765&amp;sr=8-2&amp;keywords=lab+book</a>
10	Pencil (4 pcs/pack)	4	<a href="https://www.amazon.co.uk/Herlitz-8670556-HB-Pencils/dp/B000YBVTTQ/ref=sr_1_5?s=officeproduct&amp;ie=UTF8&amp;qid=1508835674&amp;sr=1-5&amp;keywords=pencil">https://www.amazon.co.uk/Herlitz-8670556-HB-Pencils/dp/B000YBVTTQ/ref=sr_1_5?s=officeproduct&amp;ie=UTF8&amp;qid=1508835674&amp;sr=1-5&amp;keywords=pencil</a>
10	Pens (10 pcs/pack)	10	<a href="https://www.amazon.co.uk/Cristal-Original-Ballpoint-Pens-Black/dp/B004DBHR2Q/ref=sr_1_8?s=officeproduct&amp;ie=UTF8&amp;qid=1508835723&amp;sr=1-8&amp;keywords=pen">https://www.amazon.co.uk/Cristal-Original-Ballpoint-Pens-Black/dp/B004DBHR2Q/ref=sr_1_8?s=officeproduct&amp;ie=UTF8&amp;qid=1508835723&amp;sr=1-8&amp;keywords=pen</a>
4	Kitchen timer	1	<a href="https://www.amazon.co.uk/TopElek-Digital-Countdown-Retractable-Magnetic/dp/B01ECDON12/ref=sr_1_1_sspa?ie=UTF8&amp;qid=1508935003&amp;sr=8-1-spons&amp;keywords=kitchen+timer+digital&amp;psc=1">https://www.amazon.co.uk/TopElek-Digital-Countdown-Retractable-Magnetic/dp/B01ECDON12/ref=sr_1_1_sspa?ie=UTF8&amp;qid=1508935003&amp;sr=8-1-spons&amp;keywords=kitchen+timer+digital&amp;psc=1</a>
5	Lab coat male (small)	1	<a href="https://uk.vwr.com/store/product/8475868/men-s-coats-cotton-or-polyester-cotton">https://uk.vwr.com/store/product/8475868/men-s-coats-cotton-or-polyester-cotton</a>
5	Lab coat male (medium)	1	<a href="https://uk.vwr.com/store/product/8475846/ladies-coats-cotton-or-polyester-cotton">https://uk.vwr.com/store/product/8475846/ladies-coats-cotton-or-polyester-cotton</a>
5	Lab coat male (large)	1	<a href="https://uk.vwr.com/store/product/8475846/ladies-coats-cotton-or-polyester-cotton">https://uk.vwr.com/store/product/8475846/ladies-coats-cotton-or-polyester-cotton</a>

## Start-up Chemicals

**Shelf life for kit at time of delivery at least 24 months or longer (please mention in your offer)!  
Packed and labelled IATA conform incl. Safety Data Sheets!**

<b>Red Cross Code</b>	<b>Quantity</b>	<b>Description</b>
WCHPLIMESP25	200 kg	Hydrated lime / calcium hydroxide in 25kg bulk
WCHPALUSG50	1.000 kg	Aluminium sulfate in 50kg bulk, 17-18% Al <sub>2</sub> O <sub>3</sub> technical iron-free
	800 kg	NaDCC granules packed in 5kg bulk
	50	200g slow-dissolving chlorination tablets

## Dosing Kit

<i>Red Cross Code</i>	<i>Quantity</i>	<i>Description</i>
KWATDOSI01	3	KIT, TREATMENT DOSER, suction side Kit (without aluminium sulphate): <a href="https://itemscatalogue.redcross.int/water-and-habitat--6/water-and-sanitation--27/water-treatment-equipment--121/water-treatment-suction-side-doser--KWATDOSI01.aspx">https://itemscatalogue.redcross.int/water-and-habitat--6/water-and-sanitation--27/water-treatment-equipment--121/water-treatment-suction-side-doser--KWATDOSI01.aspx</a>
	1	Oxfam guide to chlorination, guidelines for water treatment in emergencies

## Additional Equipment

<i>Red Cross Code</i>	<i>Quantity</i>	<i>Description</i>
	2	Tent, basic unit, 590x400x300cm, e.g. Colorado Plus
	2	Tent, segment, 590x200x300cm, e.g. Colorado Plus
	2	Basecover for basic unit 590x400, e.g. Colorado Plus
	2	Basecover for segment 590x200, e.g. Colorado Plus
	10	Folding tray e.g.: <a href="https://www.export.kaiserkraft.com/hazardous-goods-handling/spill-containment--control/folding-emergency-tray/p/M1081345/?article=123717&amp;article=123716&amp;article=123715&amp;imageCode=AA00123715II&amp;ff_id=123715&amp;ff_title=Folding+emergency+tray&amp;ff_query=folding+tray&amp;ff_pos=6&amp;ff_origPos=24&amp;ff_page=1&amp;ff_pageSize=48&amp;ff_origPageSize=48&amp;ff_simi=98.41#filternames%5B%5D%3DWeight%20%5Bkg%5D&amp;filtervalues%5B%5D%3D3.18">https://www.export.kaiserkraft.com/hazardous-goods-handling/spill-containment--control/folding-emergency-tray/p/M1081345/?article=123717&amp;article=123716&amp;article=123715&amp;imageCode=AA00123715II&amp;ff_id=123715&amp;ff_title=Folding+emergency+tray&amp;ff_query=folding+tray&amp;ff_pos=6&amp;ff_origPos=24&amp;ff_page=1&amp;ff_pageSize=48&amp;ff_origPageSize=48&amp;ff_simi=98.41#filternames%5B%5D%3DWeight%20%5Bkg%5D&amp;filtervalues%5B%5D%3D3.18</a>
	25	High visibility/reflective vests yellow M
	25	High visibility/reflective vests yellow XL

## Hygiene Promotion

<i>Quantity</i>	<i>Unit</i>	<i>Item / Description</i>
2	pcs	HYGIENE PROMOTION BOX A, promotion items, newest available version: <a href="https://itemscatalogue.redcross.int/water-and-habitat--6/water-and-sanitation--27/hygiene-promotion--51/hygiene-promotion-boxes--KSANHYGP01.aspx">https://itemscatalogue.redcross.int/water-and-habitat--6/water-and-sanitation--27/hygiene-promotion--51/hygiene-promotion-boxes--KSANHYGP01.aspx</a>
1	pcs	HYGIENE PROMOTION BOX B, electronic items, newest available version: <a href="https://itemscatalogue.redcross.int/water-and-habitat--6/water-and-sanitation--27/hygiene-promotion--51/hygiene-promotion-boxes--KSANHYGP01.aspx">https://itemscatalogue.redcross.int/water-and-habitat--6/water-and-sanitation--27/hygiene-promotion--51/hygiene-promotion-boxes--KSANHYGP01.aspx</a>

## Sanitation Kit 1

<b>Quantity</b>	<b>Unit</b>	<b>Item / Description</b>
3	pcs	Wheelbarrow 85 L, strong solid pneumatic wheel
5	pcs	Buckets 10-20L, steel, galvanised
5	pcs	Buckets 10-20 L, plastic, with lid
200	m	Rope, synthetic nylon, diam. 8 mm, twisted
5	pcs	Rolls of String, 100m, hemp, diam. 3 mm, twisted
10	pcs	Hoes, farm type, carbon steel blade, with long handle, large type 230 x 175 mm, 1.360g
10	pcs	Shovels, round point, carbon steel blade, with long handle
10	pcs	Spades, square point, carbon steel blade, D-handle
10	pcs	Pick axes, carbon steel, with handle
5	pcs	Axes, 2.5kg, with safety handle length 660mm
5	pcs	Saws, forest type, length 750 mm, bow type, for wood
5	pcs	Hammers, nail claw, carpenter type, 800g, steel + plastic hand

## Sanitation Kit 2

<b>Quantity</b>	<b>Unit</b>	<b>Item / Description</b>
1	set	Petrol driven breaker withmoil point chisel, flat chisel, round tamping pad + shaft; e.g. Atlas Copco Cobra PROi
1	set	Welding machine 250V incl. welding rods and safety equipment, example: <a href="https://www.bauhaus.at/elektrodenschweissgeraete/herkules-elektroschweissgeraet-hes-200/p/20203250">https://www.bauhaus.at/elektrodenschweissgeraete/herkules-elektroschweissgeraet-hes-200/p/20203250</a>
2	set	Akku drilling machine with bits and drill set, example: <a href="https://www.bauhaus.at/akkuschrauber-akkuboehrschrauber/bosch-professional-maschinen-set/p/25778559">https://www.bauhaus.at/akkuschrauber-akkuboehrschrauber/bosch-professional-maschinen-set/p/25778559</a>
2	set	Tool case with different tools, example: <a href="https://www.bauhaus.at/werkzeugkoffer-bestueckt/wisent-werkzeugkoffer-premium/p/22142669">https://www.bauhaus.at/werkzeugkoffer-bestueckt/wisent-werkzeugkoffer-premium/p/22142669</a>

## Sanitation Kit 3

<b>Quantity</b>	<b>Unit</b>	<b>Item / Description</b>
3	pcs	Backpack sprayer, manual, 15-20L, 5 bar
20	pcs	Overalls cotton (size L)
20	pcs	Overalls cotton (size XL)
30	pcs	Safety goggles, plastic, with rubber string, eyes protection
20	pairs	Heavy duty working gloves, size 8
20	pairs	Heavy duty working gloves, size 10
20	pairs	Heavy duty rubber gloves, chemical protection, size 8
20	pairs	Heavy duty rubber gloves, chemical protection, size 10
200	pcs	Felt face mask, dust protecting, FFP3
10	pair	Rubber boots (size 40)
10	Pair	Rubber boots (size 43)
10	pair	Rubber boots (size 46)
10	pair	Rubber boots (size 48)
4	pcs	200L plastic drums, top open, with tap at bottom
10	pcs	Wash basin, plastic, 40L
200	pcs	Body soap 100 g

## Sanitation Kit 4

<b>Quantity</b>	<b>Unit</b>	<b>Item / Description</b>
50	pcs	Squatting plates 120x80cm, polypropylene, drop-hole cover
5	pcs	Rolls of plastic sheeting, Tarpaulins, Monarflex, woven plastic sheeting 4 x 60m white/white, roll
1	pcs	Latrine SanPlat Mould Box (Modell Mozambique)

---

Place and Date

---

Authorised signature

## **General Purchasing Conditions**

1. Validity
  - 1.1. The Conditions set out below shall apply to all orders placed by us (Austrian Red Cross), even if we have not expressly opposed any conflicting terms and conditions.
  - 1.2. In any case, our Conditions shall prevail over any of the seller's general terms and conditions of delivery. Hereby, any of the seller's conditions are expressly opposed.
  - 1.3. Any subsequent changes of the Conditions set out below shall be valid only when made in writing, duly signed and acknowledged by us.
  
2. Orders

In principle, only written orders on our order forms shall be valid. Any orders, additions or changes communicated orally or by phone shall be valid only when confirmed by us in writing.
  
3. Performance of services
  - 3.1. The seller shall perform its services in such a way that the goods ordered are at our disposal on the agreed date of delivery and according to the specifications as stated in the request for quotation (RFQ).
  - 3.2. If the accompanying documents and any other documents required for a consignment ordered are not available the ordered goods shall be stored at the seller's risk and expense until the documents are received.
  - 3.3. Partial deliveries and deliveries prior to the agreed date shall be subject to our explicit written consent.
  
4. Concerning manufacturing / provision of services, the supplier is obligated to:
  - 4.1. not use child labor and not sell any products which have been manufactured by means of child labor. The decision whether child labor occurred shall be made in accordance with the laws of the country of origin of a product and/or service;
  - 4.2. comply with the applicable labor and social laws of the country of origin of the supplier and/or of the country of origin of the product and/or service.
  
5. Terms of delivery
  - 5.1. Delivery shall be made on the agreed date of delivery at the place of fulfillment.
  - 5.2. In case of fixed dates of delivery any delay shall automatically constitute default, unless the seller has notified us of any difficulties at an early stage and has simultaneously proposed an alternative solution which has been agreed upon.
  - 5.3. If the seller is in default with respect to the delivery, partial delivery or service, we are entitled independent of fault of the seller and independent from evidence of actual damage, to charge a contractual penalty in the amount of one percent (1%) of the total order value per started calendar day of delay of delivery, partial delivery or service. The total amount of contractual penalty shall be limited to fifteen percent (15%) of the total order value. The basis of the penalty for partial deliveries shall be calculated in proportion to the total order value of all goods to be delivered and/or services to be rendered under the respective order.
  - 5.4. Moreover we are entitled to rescind the entire or parts of the purchase order in case the delivery date is not met with granting a grace period. In this case we shall be entitled to place a substitute purchase order with a different seller. Additional costs thereof, in particular express surcharges, if applicable, shall be borne by the seller. The assertion of the claim for contractual penalty additional claims for damages shall remain unaffected thereby.
  - 5.5. Benefit and risk shall pass upon delivery at the place of fulfillment agreed upon, or upon acceptance by us where required.
  
6. Transport and packaging
  - 6.1. In case no Incoterm is set out and agreed all deliveries and partial deliveries shall be shipped according to DDU (Incoterms 2000) to the agreed location.

- 6.2. The subject-matter of delivery must be packaged in an appropriate manner customary in the industry. The packaging must be in accordance with all technological, statutory and official provisions, must be environment-compliant and suitable to avoid damage and decreases in quality and reliability.
- 6.3. If the seller is member of a packaging collecting or recycling system it has to present appropriate evidence to us. If the seller is not member of such a system the stated prices shall include the costs for taking back and disposal of the packaging by the seller (pursuant to the VerpackVO 2014).

## 7. Warranty

- 7.1. The seller shall assume warranty of title and quality according to the legal requirements. It shall warrant for itself, its subcontractors and suppliers careful and proper execution of the order, in particular, compliance with the technical data, specifications and other regulations of us according to the state-of-the-art as well as quality and usefulness of the deliveries with respect to quantity, material, design and workmanship and the documents pertaining to the delivery (such as, e.g., documentation, drawings). The seller warrants full execution free of defects as per the purchase order/delivery and compliance with all relevant statutory and official requirements at the place of destination and for the sales markets advised by us.
- 7.2. We are not obliged to inspect the deliveries and services of the contractor or notify any defects immediately after delivery. The obligation to notify defects according to § 377 of the UGB [Austrian Commercial Code] shall therefore be excluded by agreement. We are not obliged to carry out any additional qualifying examination beyond a sight and identity check.
- 7.3. The warranty period shall be 24 months as of full delivery or as of the day on which the acceptance report is signed. Deviating from § 924 of the ABGB [Austrian General Civil Code] it shall be assumed that a defect which occurs within a period of two years as of delivery or acceptance has already existed at the time of delivery or acceptance unless proven otherwise. The seller shall be obliged to repair any and all defects which occur during the warranty period at his own risk and cost. In urgent cases, in particular to avoid imminent risks and to prevent damage on human life, we are entitled to repair the defects identified ourselves or through a qualified third party at the sellers's cost. Signatures on delivery notes or return slips and payments shall constitute no acknowledgment of completeness or correctness of the delivery or partial delivery.
- 7.4. Due to a notice of defects the warranty period shall be interrupted/suspended until full repair of such defects and the payment periods shall be interrupted/suspended unless a longer period has been agreed on a case-by-case basis.
- 7.5. Defective parts shall be delivered by us DDP to the place of the sellers's registered office. The parts which have been repaired or replaced shall be returned to Vienna DDP unless otherwise required (INCOTERMS 2000). The door-to-door time for replacement or repair of a defective part must not exceed the original delivery period or a maximum period of 20 days.
- 7.6. If a defect is identified in more than 3% of the deliveries and services per order (so-called serial defect), the contractor shall improve or completely replace the deliveries and services of the total batch concerned at its cost upon our request. This regulation shall be valid for the entire life of the products.
- 7.7. If more than 3% of a delivery is defective, the seller shall reimburse the additional costs for labor, material and logistics as well as the cost of inspections of incoming deliveries for the later of (i) the subsequent three months or (ii) the subsequent three deliveries, however, at least until deliveries as per the agreement are fulfilled to us.
- 7.8. The assertion of additional claims for damages shall remain unaffected thereby.

## 8. Inspections

We reserve the right to ourselves and our customers to inspect the rendering of services and/or the production of deliverables, after prior notice, on the premises of the seller at any time. The seller shall be obliged to make available all information and documents necessary for verification of the agreed contractual conditions (especially on child labor, social laws and the progress on the ordered service or product itself).

## 9. Notification of defects

Payment or acceptance of goods shall not constitute a waiver of the notification of any defects.



10. Invoices and payment
- 10.1. Duties, taxes, legal transaction fees and transport costs, costs for packaging, insurance or other costs not mentioned in the offer and in the purchase order shall be borne by the seller. All prices shall be exclusive of statutory VAT and shall be stated in euros (EUR) unless expressly agreed otherwise. We are entitled to retain the taxes levied by the relevant tax authority from any payment and to pay the same to the authority against submission of the underlying payment confirmations or documents regarding such tax payments.
- 10.2. Payment shall be made against submission of the complete invoice upon rendering of the delivery or service in accordance with the purchase order and/or contract and repair of defects, if any, subject to examination of delivery and service carried out by us. Invoices shall be issued to the invoice address of us stated in the purchase order. Payment shall be effected subject to inspection of invoice. If we effect payment prior to delivery or service, the contractor shall be obliged upon request of us to furnish collateral security for the validity of payment in the amount of the payment as required by us.
- 10.3. Invoices shall be addressed to us after delivery of the goods ordered even if the goods are delivered to another place of destination.
11. Place of fulfillment and place of jurisdiction
- 11.1. The place of fulfillment of the delivery shall be the named place of destination. The place of fulfillment of the payment obligation shall be Vienna.
- 11.2. The place of jurisdiction shall be Vienna.
12. Applicable law  
This Contract shall be subject to Austrian law. United Nations Convention on Contracts for the International Sale of Goods is not applicable.
13. Miscellaneous
- 13.1. Usage of Emblems  
If the purchase order includes any usage (e.g. print of Red Cross T-shirts) of the Red Cross and Red Crescent Emblems (cross, crescent and crystal), the seller is not entitled to use any of them for other purposes as stated in the purchase order as they are internationally recognized (by the Geneva Conventions) and protected signs.
- 13.2. Invalidity of conditions  
Should any of these provisions of the General Purchasing Conditions be entirely or partially invalid this shall not affect the validity of the remaining provisions.

---

Place and Date

---

Authorised Signature